Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
554	53476	(dynamic adj (portion or part or section)) password	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO	2005/03/28 14:23
S47	8464	(username or id or "user id" or "user identification") near5 creat\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/03/28 14:15
S64	5664	salt same random	US-PGPUB; USPAT; USOCR	OR	NO	2005/03/28 17:08
248	2402	S47 and password	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/03/28 14:16
543	1952	password near5 combin\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR .	NO	2005/03/25 15:58
988	1642	(password or "user id" or user-id) WITH (rotat\$4 or altern\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO .	2005/03/31 11:46
S17	1394	(partial near3 enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SO.	NO	2005/01/13 09:18

S79	901	cookie near5 (storage or database)	US-PGPUB;	OR	NO	2005/03/30 16:24
			USPAT; EPO; DERWENT; IBM_TDB			
593	849	(Multipl\$4 near3(password or "user id" or user-id))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO	2005/03/31 12:24
522	802	((partial or "in part" or segment or part) near2 (personal or pin) same enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	S.	NO	2005/01/13 09:33
287	679	(password or "user id" or user-id) near4 (rotat\$4 or altern\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO	2005/03/31 12:23
888	658	(password or "user id" or user-id) near4 (rotating or altern\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	No .	2005/03/31 11:47
520	636	partial near2 (personal or pin)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	No.	2005/01/13 09:19
532	587	(first near4 second) near3 (password or "partial password")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/03/25 14:39

S49	459	S48 and ((dynamic or chang\$4 or variable) near4 (portion or section or part))	US-PGPUB;	OR	NO	2005/03/28 14:19	
			USPAT; EPO; DERWENT; IBM_TDB				
	422	pare.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/03/30 16:23	
	422	pare.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SO.	NO	2005/01/12 15:12	
S15	422	pare.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO	2005/01/13 09:17	1
250	414	S48 and ((dynamic or chang\$3 or variable) near3 (portion or section or part))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SO -	NO	2005/03/28 14:21	
	330	(access adj code) near4 change	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO	2005/03/29 17:05	
	270	cookie near3 compar\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR.	No	2005/03/30 16:32	

284	270	cookie near3 compar\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR .	N O	2005/03/31 11:28
523	228	((partial or "in part" or segment or part) adj (personal or pin) same enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO .	2005/01/13 09:34
545	143	((password or identifier) near2 (portion or part\$3 or piece or element)) near5 combin\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	S .	N O	2005/03/25 16:01
828	135	(access adj code) near change	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/03/29 17:05
244	103	((password or identifier) near2 (portion or part\$3 or piece or element)) near3 combin\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/03/25 16:01
S52	91	dynamic adj password	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	<b>N</b> 0	2005/03/28 14:22
688	62	(password or "user id" or user-id) near4 (rotating or alternating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR.	N O	2005/03/31 12:22

ON 2005/01/12 15:11	ON 2005/03/28 14:28	ON 2005/03/25 14:28	ON 2005/03/28 17:13	ON 2005/03/28 17:19	ON 2005/03/30 16:43	ON 2005/01/13 09:33	ON 2005/03/30 16:31	ON 2005/03/31 11:38
æ	S.	æ	g	OR	% S	NO.	NO.	S. S
US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	USPAT	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT;
•	2   ("4720860").URPN.	7 partial adj (pin or "personal identification")	salt same random same password	password adj salt	S81 and download	(partial near2 (personal or pin) same enter\$4)	cookie near5 ((lookup or look-up or "look up") near3 (storage or database))	password near4 rotation
52	. 25	47	47	32	30	53	. 22	18
S	828	825	<b>S65</b>	292	282	S21	280	S75

2005/03/28 14:45	2005/03/25 15:50	2005/03/25 14:36	2005/03/28 14:14	2005/01/12 15:22	2005/01/13 09:17	2005/03/28 17:07	2005/03/25 15:48
S O	NO NO	NO .	NO	NO	NO O	N O	NO
a S	OR	S S	NO N	%	8	O R	OR
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
("4720860"   "4812628"   "5109408"   "5130519"   "5168520"   "5177342"   "5239583"   "5251259"   "5311594"   "5317636"   "5345380"   "5513250"   "5530235"   "5583864"   "5615408"   "5617470"   "5627355").PN.	compound near4 (password or "personal ID" or "user ID" or "user identification" or "personal identification")	partial adj (password or "personal ID" or "user ID" or "user identification" or "personal identification")	(static and dynamic) near4 alias	S6 and ((select\$4 adj personal) near3 (id or identification or identif\$4))	S6 and (multiple adj account)	(multiple adj3 (part or section or portion)) near4 (password or "user ID")	((first near4 second) near3 (password or "partial password")) SAME combin\$4
17		15	13	10	10	10	6
098	S42	230		65	S14	S63	S37

S62	6	(multiple adj3 (part or section)) near4 (password or "user ID")	US-PGPUB; USPAT; USOCR	OR	NO	2005/03/28 14:46
533	7	((first near4 second) near3 (password or "partial password")) with combin\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	æ	NO	2005/03/25 15:36
929	7	(access adj code) near4 rotation	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SO.	NO	2005/03/29 17:05
S51	<b>9</b>	variable near3 password\$5 same static	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	S.	NO	2005/03/28 14:27
S29	9	("5988497").URPN.	USPAT	OR	NO	2005/03/28 14:37
S25	Ŋ	(((partial or "in part" or segment or part) adj (personal or pin) same enter\$4)) and(biometric or bio-metric)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	NO.	NO	2005/01/13 09:36
<b>S34</b>	Ŋ	("5588056").URPN.	USPAT	OR.	NO	2005/03/25 15:28
S94	4	(Multipl\$4 near3(password or "user id" or user-id)) WITH (rotat\$4 or altern\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	NO.	NO	2005/03/31 12:25
SS	м	S1 and (biometric and alias)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	g.	NO .	2005/01/12 13:14
535	က	("5850448").URPN.	USPAT	OR.	N O	2005/03/25 15:30
S36	3	("6145086").URPN.	USPAT	OR	N <sub>O</sub>	2005/03/25 15:31

Search History 3/31/05 9:04:23 PM Page 7 C:\Applications\2005\09-956997\09-956997 01-13-05.wsp

7	S6 and (select\$4 adj (id or identification or identif\$4))	US-PGPUB; USPAT;	OR	NO	2005/01/12 15:14
		EPO; DERWENT; IBM_TDB			
7	S50 and S52	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	NO NO	NO	2005/03/28 14:21
	("4720860").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF.	2005/03/28 14:27
	(password adj salt) same combin\$4	US-PGPUB; USPAT; USOCR	SO.	NO	2005/03/28 17:19
	(Multipl\$4 near3(password or "user id" or user-id)) near4 (rotat\$4 or altern\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	<b>&amp;</b>	N O	2005/03/31 12:25
	(((partial or "in part" or segment or part) adj (personal or pin) same enter\$4)) same (biometric or bio-metric)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	A R	N <sub>O</sub>	2005/01/13 09:36
	2002-344316.NRAN.	DERWENT	OR OR	NO	2005/03/25 14:29
	(password adj salt) same combined	US-PGPUB; USPAT; USOCR	S.	NO	2005/03/28 17:27
	S81 and ((download or "down load") near3 (resume or restart or continue))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	S. S	NO	2005/03/31 11:28

<b>S85</b>		S84 and ((download or "down load") near5 (resume or restart or continue))	US-PGPUB:	OR S	NO	2005/03/31 11:29
			USPAT; EPO; DERWENT; IBM_TDB		;	
06S	-	(Multiple near3(password or "user id" or user-id)) near4 (rotating or alternating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	R R	N O	2005/03/31 12:22
S91	н	(Multipl\$4 near3(password or "user id" or user-id)) near4 (rotating or alternating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	R	N O	2005/03/31 12:23
23	0	"pare.in.biometric"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	NO.	N O	2005/01/12 13:10
22	0	S1 and (biometric same alias)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	S R	N O	2005/01/12 13:14
S10		S6 and (muntiple adj account)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/01/12 15:23
S11	0	biometeric and (muntiple adj account)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	R R	N O	2005/01/12 15:23

5	•					
312	<b>&gt;</b>	piometeric and (multiple ad) account)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	×	<b>8</b>	2005/01/12 15:23
S13	0	biometeric and (multiple adj account)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N <sub>O</sub>	2005/01/12 15:23
S16	0	S15 and (partial near3 enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	S.	N <sub>O</sub>	2005/01/13 09:17
S18	0	((partial adj (personal or pin)) near3 enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SO.	N O	2005/01/13 09:19
S19	0	((partial near2 (personal or pin)) near3 enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	S.	N O	2005/01/13 09:19
S26	0	portional adj pin	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO	2005/03/25 14:22
527	0	secotional adj pin	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/03/25 14:22

828	0	secotion\$ adj pin	US-PGPUB;	OR	NO	2005/03/25 14:23
			USPAI; EPO; DERWENT; IBM_TDB			
238	0	"multiple piece password"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	S.	N <sub>O</sub>	2005/03/25 15:48
833	0	"multiple part password"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/03/25 15:48
240	0	"multiple part" near2 (password or "personal ID" or "user ID" or "user identification" or "personal identification")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/03/25 15:49
S41	0	"multiple part" near4 (password or "personal ID" or "user ID" or "user identification" or "personal identification")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR.	<b>N</b> O	2005/03/25 15:50
SS5	0	(dynamic adj (portion or part or section)) adj password	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/03/28 14:23
S56	0	(dynamic adj (portion or part or section)) near4 password	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/03/28 14:23
S61	0	(multiple adj (part or section)) near4 (password or "user ID")	US-PGPUB; USPAT; USOCR	OR	NO	2005/03/28 14:46

Search History 3/31/05 9:04:23 PM Page 11 C:\Applications\2005\09-956997\09-956997 01-13-05.wsp

998	0	password adj added adj salt	US-PGPUB; USPAT; USOCR	OR	NO	2005/03/28 17:13
895	0	(password adj salt) near combined	US-PGPUB; USPAT; USOCR	OR.	NO	2005/03/28 17:19
698	0	(password adj salt) near4 combined	US-PGPUB; USPAT; USOCR	OR.	N O	2005/03/28 17:19
S72	0	("2003/0105964").URPN.	USPAT	S.	NO	2005/03/28 17:28
573	0	(user adj id) near4 rotation	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO O	2005/03/29 17:01
S74	0	(userid) near4 rotation	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO	2005/03/29 17:01